


## SELECTED TIPS FOR NCAS DSS BASICS JOB AID NCAS-3



The purpose of this job aid is to provide selected tips for NCAS DSS Basics.

## Budget Code/Fund/TX Type/Dimension Structure



	Main Menu Buttons			
	The <b>Management Analysis Agency</b> button accesses Explorer reports and Reporter reports for a specific agency.			
The <b>Statewide</b> button accesses information about all agencies. Statewide reports are provided only to central managers.				
The <b>Adobe Reports</b> button allows user view reports in Adobe Format.				
	The Management Analysis Agency button accesses Explorer reports and Reporter reports for a specific agency.			
	The <b>Custom</b> button accesses Explorer reports and Reporter Reports that users have created.			

Dimension	Example	Dimension Explanation
Vendors	RALEIGHOFFICESU 560677225/A	<b>Vendors</b> includes the vendor short name, the vendor number, and the vendor group.
Requesters	AMY DAVIS	Requesters includes the requester name.
Purchase Order	PO 1440004915 14BG ALFREDWILL	<b>Purchase order</b> includes the PO number, buying entity, and the vendor short name.
Purchase Order Line	0009CHAIRS, UPHOLSTERED	Purchase order line includes the PO line number and the item description.
Invoice	INVC 370200-002 14PT RALEIGHHO	Invoice includes invoice number, paying entity, and vendor short name.
Invoice Line	0001 SMEAD LEGAL FILE JAC	Invoice line includes the line number and the description.
Requisition	REQ1470002487 14BS PAMELAWASHINGT	<b>Requisition</b> includes the requisition number, the buying entity, and the requester.
Requisition Line	0001 CHANGEORDER PO#14900017	Requisition line includes requisition line number and description.

Toolbar Buttons			
	The <b>New</b> button creates a new Explorer report or Reporter based on the selected database and file preferences.	T)	The <b>Open</b> button opens an existing report within Explorer or Reporter. More than one report can be open at a time.
	The <b>Save</b> button saves the active report in the current mode. Saving a report <i>overwrites</i> the current report.	<b>3</b>	The <b>Print</b> button prints the active report.  PowerPlay prints the report using the Page Setup and the Print Setup commands.
	The <b>Print</b> preview button shows how a report will look when printed.	5	The <b>Undo</b> button reverses the last change. This is not available if the report has been saved since the last change. The maximum number of undos is controlled in the file preferences.
ŧ	The <b>Reset Dimensions</b> button resets all dimensions in the dimension line to the top level.	•	The <b>Dimension Viewer</b> button shows or hides the dimension viewer.
歴	The <b>Drill Through</b> button is not used with the DSS implementation.	4	The <b>Swap Rows and Columns</b> button exchanges the positions of the row and column categories.
₽₩	The <b>Sort</b> button opens the sort dialog box to sort by rows, columns or layers.	<b>*</b>	The <b>Rank</b> button ranks the selected categories.

Toolbar Buttons			
	The <b>Explorer &lt;-&gt; Reporter</b> button switches from Explorer to Reporter and vice versa.		The <b>Crosstab</b> button changes the display to a tabular format. This is used to present data in large volumes. Data is presented in rows and columns.
	The <b>Pie</b> button changes the display to a pie chart, which shows the relative proportions of parts to the whole.	4	The <b>3-D Bar</b> button changes the display to a 3-D bar graph that contrasts two or more variables and reveals trends and irregularities.
	The <b>Simple bar</b> button changes the display to a simple bar graph that contrasts two or more variables and reveals trends and irregularities.		The <b>Clustered bar</b> button changes the display to a clustered bar graph.
	The <b>Stacked bar</b> button shows relative proportions of parts to the whole, and to each other.	1	The <b>Single line</b> button reveals trends and irregularities between two or more variables.
X	The <b>Multiline</b> button compares trends and is useful to infer relationships between variables.		The <b>Scatter</b> compares two different measures. PowerPlay shows the 1 <sup>st</sup> measure in the Y axis and the 2 <sup>nd</sup> measure in the X axis.
	The <b>Correlation (depth)</b> button compares the values of two measures.	?	The <b>Help</b> shows context- sensitive Help for the selected screen element.
0	The <b>Redo</b> button redoes the last action that was undone.	*	The <b>Cut</b> button cuts the selection and puts it on the Clipboard.
	The <b>Copy</b> button copies the selection and puts it on the Clipboard.		The <b>Paste</b> button inserts the Clipboard contents at the insertion point.
	The <b>Normal View</b> button shows a report in a normal view.		The <b>Page Layout</b> View button shows the whole page at the reduced size as it will be printed.
	The <b>Page Width View</b> button shows part of the page as it will print.		The <b>Stacked Bar (depth)</b> button shows the part that contributes to the total and compares change over time.
W	The <b>Correlation</b> button compares two different measures, using bars for one and a single line for the other.		The <b>Simple Bar (horizontal)</b> button shows change over a specific time period. This is used to compare and contrast 2 or more variables in one time period.
	The <b>Simple Bar (horizontal with depth)</b> button shows change over a specific time period. This is used to compare and contrast two or more variables in one time period.		The <b>Simple Bar (depth)</b> button changes to a simple bar display.
h	The <b>Clustered Bar (depth)</b> button groups related information and contrasts the groups over a period of time.		The <b>Pie (depth)</b> button shows the relationship of the parts to the whole, translating percentages into proportional sections.
町	The <b>Standard Crosstab</b> button formats crosstab reports with second level categories indented and with no gridlines.		The <b>Indented 1 Crosstab</b> button formats crosstab reports with second level categories indented and no gridlines.

Toolbar Buttons				
	The Indented 2 Crosstab button formats crosstab reports with second level categories indented, with no gridlines, and with a summary at the lowest level of detail in bold. This layout is only available for Explorer reports.		The <b>Titles</b> button is used to set a title for the report. You can add as many lines of information as you wish. The report title appears below the header if you added a header.	
<del>Q</del>	The <b>Bring to Front</b> button moves the selected displays to the front of overlapping displays. Available in page layout or page width view.	2	The <b>Send to Back</b> button moves the selected display behind other overlapping displays. This command is available only in page layout or page width view.	
В	The <b>Bold</b> button formats text and values in selected categories as bold.	I	The <b>Italic</b> button formats the text and values in selected categories to italics.	
5	The <b>Currency</b> button changes selected values in the active view or report to the currency format.	?	The <b>About</b> button shows information about your version of PowerPlay.	
	The <b>Separator</b> button is used to separate buttons in the toolbar.	<b>浅</b>	The <b>Launch Impromptu</b> button is used to launch from within PowerPlay.	
	The <b>Launch</b> button opens the Launch dialog box where you can enable a button to launch an application or a macro from within PowerPlay.	0	The <b>Suppress Zero Rows</b> button switches zero suppression on or off for rows only.	
0	The <b>Suppress Zero Columns</b> button switches zero suppression on or off for columns only.	0	The <b>Suppress Zeros</b> button switches zero suppression on or off for the active report.	
	The <b>Automatic Exceptions</b> button automatically highlights any exceptionally high or low values in the report.	7	The Add Blank(s) button inserts one or more blank rows or columns in a Reporter report depending on your selection. When you switch from Reporter to Explorer all blank rows and columns are removed.	
	The <b>Calculated Categories</b> button shows or hides calculated categories in dimension line menus, dimension viewer, and Explorer reports.	\$2	The <b>Currency Conversion</b> button is used to change the currency of measures.	
i i	The <b>Display Options</b> button is used to change the settings for the selected display.			
Dimension Viewer Explorer Buttons				
	Replace Rows	MM	Replace Columns	
$\blacksquare$	Replace Layers			
	Dimension Viewe	r Reporter I	Buttons	
揾	Add as Rows	世	Add Columns	

	Toolbar Buttons			
<b>₩</b>	Add Layers		Create Parentage Subset Definition	
<u>[8]</u>	Create Advanced Subset Definition		Next Level Children Of	
	Lowest Level Children Of	町	Create Nesting Levels	
	Each	Σ	Sum Of	
*	Average Of	%	Share Of	
s.t	Intersect			
Dimension Viewer Explorer and Reporter Buttons				
7	Filter	% <b>#</b>	Format Measure	
abc	Short/Long Names	[44]	Create Find-in-Cube Subset Definition	